

For more information on this product and on our complete package of solutions

Please contact our **local service center:**

► **VESUVIUS SENSORS & PROBES DO BRASIL**

Rua Benjamin da Silveira Baldy, 2001  
Paulas e Mendes  
CEP 18170-000 Piedade  
São Paulo, Brazil  
Tel: +55 15 3344 9000

► **VESUVIUS SENSORS & PROBES USA**

33554 Pin Oak Pkwy  
Avon Lake, OH 44012  
United States of America  
Tel: +1 440 930 0362

► **VESUVIUS SENSORS & PROBES EUROPE**

Via Mantova, 10  
20835, Muggiò (MB) Italy  
Tel: +39 039 27111.1

► **VESUVIUS SENSORS & PROBES ARGENTINA**

Urzquia 919, Piso 1, Rosario,  
Santa S2000ANC  
S2000ANC Exterior Argentina  
Tel: (54) 341 449 5008

► **VESUVIUS SENSORS & PROBES CANADA**

175 Calixa-Lavallée  
Verchères, QC,Canada  
J0L 2R0  
Tel: (450) 583-3917

► **VESUVIUS SENSORS & PROBES FRANCE**

Centre d'Activités Economiques – ZI de  
Franchepré 54240 JOEUF – France  
Tel: +33 3 87 50 03 10

\*VESUVIUS Sensors & Probes is a trade mark of the Vesuvius Group, registered in certain countries, used under license. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system of any nature or transmitted in any form or by any means, including photocopying and recording, without the written permission of the copyright holder or as expressly permitted by law. Applications for permission shall be made to the publisher at the address mentioned. Warning: The doing of an unauthorized act in relation to a copyright work may result in both a civil claim for damages and criminal prosecution. All statement, information and data contained herein are published as a guide and although believed to be accurate and reliable (having regard to the manufacturer's practical experience) neither the manufacturer, licensor, seller nor publisher represents nor warrants, expressly or impliedly: (1) their accuracy/reliability, (2) that the use of the product(s) will not infringe third party rights, (3) that no further safety measures are required to meet local legislation. The seller is not authorized to make representations nor contract on behalf of the manufacturer/licensor. All sales by the manufacturer/seller are based on their respective conditions of sale available on request.



PRODUCT


## AccuH2 Wireless

### Measurement system for hydrogen probes

- Wireless communication between pneumatic unit, lab and all devices
- Remote access through a computer, tablet or smartphone
- Easy installation, calibration and maintenance procedures
- Automatic K/F calculation per steel grade

# AccuH2 Wireless – Measurement System for Hydrogen Probes

The Hydrogen Measurement System ACCUH2\* is a compact and precise instrument for monitoring of the soluble hydrogen content in steel. The system also communicates via wireless network with its main peripherals and is also accessible remotely with a laptop, tablet or smartphone.



## AccuH2 Lab Features

- 15" touchscreen display
- IP66 workstation (water, dust and corrosion proof)
- Level 2 communication via serial port RS232, analog (4~20mA), TCP/IP, Ethernet IP, Profibus, OPC, Modbus and others;
- Work with wireless and wired accessories (remote lights and scoreboard);
- Receives chemical composition and temperature via ethernet to automatically calculate the best K/F factor;
- Accessible remotely via laptop, smartphone or tablet



## ACCUH2 Wireless – Electro-Pneumatic Unit

- Large 4-digits display to show the hydrogen content in the shop floor;
- Wireless communication with the AccuH2 Lab, no communication cords needed;
- A cooling system based on compressed air guarantees good functionality in any environment;
- Easy and quick installation procedure
- Compact dimensions